

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	("6204751" "3159768"). pn. and (time duration period interval seconds minutes)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/01 12:51
L2	50	(circuit adj breaker) same (second double dual two) near2 protect\$3 same (threshold level) same (during time period minutes seconds interval)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/01 12:55
L3	68	(circuit adj breaker) and (second double dual two) near2 protect\$3 same (threshold level) same (during time period interval)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/01 13:03
L4	68	(circuit\$1 adj breaker\$1) and (second double dual two) near2 protect\$3 same (threshold level) same (during time period interval)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/01 13:04
L9	2	ep adj "571898"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/01 14:40
L10	2	"5710691".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/01 14:40
L11	2	fr adj "2751784"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/01 14:44
L12	882	361/93.1.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/01 15:09

L16	4	("5369542" "5710691"). pn. and (control\$4 program\$5 computer processor microcomputer microprocess\$2 memory stor\$3 time period interval rat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/01 15:39
L17	4	("5369542" "5710691"). pn. and (control\$4 program\$5 computer processor microcomputer microprocess\$2 memory stor\$3 time period interval rat\$3 first second detect\$3 sens\$3 measur \$3 monitor\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/01 16:16
L18	152	(circuit\$1 adj breaker\$1) same (second double dual two) adj2 (detect\$3 sens\$3 monitor\$3 measur \$3) same protect\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/01 17:15
L20	2	("5369542" "5710691"). pn. and (relay "200")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/01 17:48
L21	2	("5369542" "5710691"). pn. and (relay "200" memory stor\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/01 17:50
L23	6	(circuit adj breaker) and thermal adj current adj (detect\$3 sens\$3 measur \$3 monitor\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/01 18:31
L24	6	(circuit adj (breaker interrupt\$2)) and thermal adj current adj (detect\$3 sens\$3 measur\$3 monitor \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/01 18:38
L25	14	(circuit adj (breaker interrupt\$2)) and therm \$2 adj2 current adj2 (detect\$3 sens\$3 measur \$3 monitor\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/01 18:39

L26	8	25 not 24	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/01 18:39
L27	2	"6853274".pn. and coil	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/01 19:21
L28	2	(circuit adj (breaker interrupt\$2)) and electromagnetic adj2 current adj2 (detect\$3 sens\$3 measur\$3 monitor \$3) same coil	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/01 19:26
L29	12	(circuit adj (breaker interrupt\$2)) and electromagnetic adj2 current adj2 (detect\$3 sens\$3 measur\$3 monitor \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/01 19:27
L34	174	((circuit adj (break\$3 interrupt\$3)) relay contac \$2 ((electromechanic\$2 (electro adj mechanic\$2)) adj2 switch\$3)) and (electromagnetic (electro adj magnetic)) adj3 current adj3 (detect\$3 sens\$3 measur\$3 monitor \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/01 19:39
L35	125	((circuit adj (break\$3 interrupt\$3)) relay contac \$2 ((electromechanic\$2 (electro adj mechanic\$2)) adj2 switch\$3)) and therm\$2 adj3 current adj3 (detect\$3 sens\$3 measur\$3 monitor\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/01 19:40
L38	128	therm\$2 adj2 current adj2 (detect\$3 sens\$3 measur\$3 monitor\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/01 19:42
L40	132	(electromagnetic (electro adj magnetic)) adj2 current adj2 (detect\$3 sens\$3 measur\$3 monitor \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/01 19:43

L42	142	therm\$3 adj2 current adj3 (detect\$3 sens\$3 measur\$3 monitor\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/01 19:44
L43	343	(electromagnetic (electro adj magnetic)) adj3 current adj3 (detect\$3 sens\$3 measur\$3 monitor \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/01 19:44
L44	3	42 and 43	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/01 19:45
L45	617	therm\$3 near2 current near2 (detect\$3 sens\$3 measur\$3 monitor\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/01 19:46
L46	698	(electromagnetic (electro adj magnetic)) near2 current near2 (detect\$3 sens\$3 measur\$3 monitor \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/01 19:46
L47	5	45 and 46	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/01 19:46
L48	5578868	(circuit adj (break\$3 interrupt\$3) relay contact \$2 ((electromechanic (electro adj mechanic)) adj switch))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/01 20:01
L49	1855	(circuit adj (break\$3 interrupt\$3) relay contact \$2 ((electromechanic (electro adj mechanic)) adj switch)) and (eddy adj2 (detect\$3 measur\$3 sens\$3 monitor\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/01 20:02

L50	19	(circuit adj (break\$3 interrupt\$3) relay contact \$2 ((electromechanic (electro adj mechanic)) adj switch)) and (eddy adj2 (detect\$3 measur\$3 sens\$3 monitor\$3)) same (therm\$2 adj2 (detect\$3 measur\$3 sens\$3 monitor \$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/01 20:03
L51	4	((circuit adj (break\$3 interrupt\$3)) relay contactor contactor ((electromechanic (electro adj mechanic)) adj2 switch\$3)) and (eddy adj2 (detect\$3 measur\$3 sens\$3 monitor \$3)) same (therm\$2 adj2 (detect\$3 measur\$3 sens \$3 monitor\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/01 20:07
L52	183	((circuit adj (break\$3 interrupt\$3)) relay contactor contactor ((electromechanic (electro adj mechanic)) adj2 switch\$3)) and (eddy adj2 (detect\$3 measur\$3 sens\$3 monitor \$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/01 20:09
L53	85	((circuit adj (break\$3 interrupt\$3)) relay contactor contactor ((electromechanic\$2 (electro adj mechanic\$2)) adj2 switch\$3)) and (electromagnetic (electro adj magnetic)) adj3 current adj3 (detect\$3 sens\$3 measur\$3 monitor \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/01 20:20
L54	40	((circuit adj (break\$3 interrupt\$3)) relay contactor contactor ((electromechanic\$2 (electro adj mechanic\$2)) adj2 switch\$3)) and (electromagnetic (electro adj magnetic)) near3 therm\$2 near3 (detect\$3 sens\$3 measur\$3 monitor \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/01 20:57

L55	2	"5966281".pn. and ("20" "22" "30" "32")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/01 21:06
L56	2	"5369542".pn. and coil	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/01 21:18
L57	1	"5710691".pn. and "150"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/01 21:46

3/ 1/ 2008 11:18:40 PM